

# Dusk AG950

half frosted clear glass globe LED pendant




### CONSTRUCTION

- Aluminum housing (shown in **C**-Copper finish)
- Hand blown glass globe, top half clear, bottom half frosted
- 6 ft. gray or white 18 AWG adjustable power cord supplied, standard. Specify **XP** for additional length (25 ft. max.).
- Drivers installed in surface mount canopy. For remote driver installation, see p. 2.
- cUL listed for dry locations only.

<b>TYPE:</b>	<b>PROJECT:</b>
<b>ORDER NUMBER:</b>	

MODEL#	HOUSING FINISH	LEDS	DIMMING	OPTIONS
<b>AG950</b>	<b>S</b> -Silver <b>W</b> -White <b>K</b> -Black <b>C</b> -Copper	<b>W30</b> <b>W35</b> <b>W40</b>	<b>D</b> -Standard <b>BDIM-W11</b> <b>DA</b> -DALI	<b>EM</b> -Emergency <b>EMR</b> -Emergency Remote
<i>Example:</i>				
<b>AG950</b>	<b>C</b>	<b>W30</b>	<b>D</b>	

<b>XP</b> -Extra power cord (in inches, 25 ft. max.)	
--	--



# Dusk pendant

half frosted clear glass globe LED pendant



## WHITE LEDS

Bridgelux Vero 10 COB.. 90 CRI. Specify color:  
**W30**–3000°, **W35**–3500° or **W40**–4000° Kelvin.

## DIMMING

- **D**–standard supplied driver. 0–10V, programmable, 1% dimming, 120/277V, 50/60 Hz.
- **BDIM-W11**–Lutron EcoSystem LED14 Series, 1% dimming, fade-to-off.
- **DA**–DALI, 1% dimming, fade-to-off. 120/277V, 50/60 Hz.

## WATTS / LUMENS

WATTS	DELIVERED LUMENS	CRI	R9
16	900	90	50

## REMOTE DRIVERS

For suspended and hard lid ceilings with access panels. Canopy mounts to mud ring attached to J-box. Must be accessible after installation.

Standard pendant length: 6 ft. Specify **XP** for extra pendant. Maximum canopy to fixture distance: 25 ft. Maximum canopy to driver distance: 100 ft. (with 10 AWG wire).




Remote Driver Canopy  
3.8 x 0.45 in.

## EMERGENCY REMOTE

Battery pack provides 10W for 90 minutes. Includes red light/test switch in handybox. Order **EMR**.

## EMERGENCY

Battery pack provides 10W for 90 minutes. Canopy shown below. Order **EM**.







# Dusk pendant

half frosted clear glass globe LED pendant



## PAINT FINISHES

SWATCH	FINISH NO.
	S-Silver
	W-white
	K-Black
	C-Copper